

BSB										
TYPE	모델	SPEC								
		V	Ah (20hr)	Ah (10hr)	L (mm)	W (mm)	h (mm)	H (mm)	Weight (kg)	Terminal type
BP (General Purpose) Small Size	BP4-3.5	4	3.5		90	34	59	65	0.40	T1
	BP4-4.5	4	4.5		52.5	48	94	100	0.60	T1
	BP4-10	4	10		101.5	50	93	99	1.14	T2
	BP6-1.0	6	1		51	42	51	57	0.25	T1
	BP6-1.2	6	1.2		97	24	51.5	57.5	0.29	T1
	BP6-2.0	6	2		43	37	76	76	0.33	—
	BP6-2.8	6	2.8		66	33	97	103	0.55	T1
	BP6-3.2	6	3.2		134	34	60	66	0.60	T1
	BP6-4.0	6	4		70	47	100	106	0.65	T1/T2
	BP6-4.5	6	4.5		70	47	100	106	0.81	T1
	BP6-4.5H	6	4.5		70	47	100	106	0.72	T1/T2
	BP6-4.5S	6	4.5		67	67	96	109	0.78	SPRING
	BP6-5.0	6	5		169.5	34.5	70	74	0.95	T1
	BP6-5.4	6	5.4		70	47	100	106	0.80	T1
	BP6-6.0	6	6		70	47	100	106	0.90	T1
	BP6-7.0	6	7		150	34	94	100	1.00	T1/T2
	BP6-7.2	6	7.2		150	34	94	100	1.05	T1/T2
	BP6-7.5	6	7.5		150	34	94	100	1.15	T2
	BP6-7.8	6	8		150	34	94	100	1.28	T2
	BP6-8.5	6	8.5		150	34	94	100	1.20	T2
	BP6-8.5H	6	8.5		98	56	118	119.5	1.42	T2
	BP6-10	6	10		151	50.5	94	100	1.54	T1/T2
	BP6-12	6	12		151	50.5	94	100	1.60	T1/T2
	BP6-13	6	13		107.5	70	140	140	2.24	NTI/PT2
	BP6-14	6	14		151	50.5	94	100	1.90	T2
	BP6-20	6	20		157	83	125	125	3.21	T3-A
	BP6-36	6	36		161	87	163	169	5.12	T2
	BP8-3.2	8	3.2		134	36.5	63	69	0.75	T1
	BP12-0.8	12	0.8		96	25	62	62	0.33	—
	BP12-1.2	12	1.2		97	43	52	58	0.52	T1
	BP12-1.9	12	1.9		178	35	60	66	0.85	T1
	BP12-2.2	12	2.2		70.5	47.5	97	103	0.78	T1
	BP12-2.3	12	2.3		178	35	60	66	0.93	T1
	BP12-2.8	12	2.8		132.5	33.5	98	104	1.10	T1
	BP12-2.9	12	2.9		79	56	99	105	1.10	T1
	BP12-3.5	12	3.5		134	67	59.5	65.5	1.19	T1
	BP12-4.0B	12	4		151	65	93.5	99.5	1.38	T1
	BP12-4.0	12	4		90	70	101	107	1.26	T1/T2
	BP12-4.5	12	4.5		90	70	101	107	1.39	T1/T2
	BP12-5.0	12	5		151	53	93	99	1.73	T1
	BP12-5.4	12	5.4		90	70	101	107	1.80	T1
	BP12-6.0	12	6		90	70	101	107	1.91	T1/T2
	BP12-6.5	12	6.5		151	51	93	99	1.82	T1/T2
	BP12-7.0E	12	6		151	65	93.5	99.5	1.81	T1/T2
	BP12-7.0	12	7		151	65	93.5	99.5	1.97	T1/T2
	BP12-7.5	12	7.5		151	65	93.5	99.5	2.28	T2

	BP12-8.0	12	8		151	65	93.5	99.5	2.50	T1/T2
	BP12-8.5	12	8.5		151	65	93.5	99.5	2.39	T1/T2
	BP12-9.0	12	9		151	65	93.5	99.5	2.52	T1/T2
	BP12-10	12	10		151	98	95	101	3.06	T1/T2
	BP12-10H	12	10		151	65	111	117	3.07	T2
	BP12-12	12	12		151	98	95	101	3.24	T1/T2
	BP12-14	12	14		151	98	95	101	3.78	T1/T2
	BP12-15	12	15		181.5	76.5	167.5	167.5	4.70	T3
	BP12-18	12	18		181.5	76.5	167.5	167.5	5.35	T3
	BP12-20	12	20		181.5	76.5	167.5	167.5	5.65	T12(M5)
	BP12-24	12	24		166	175	125	125	7.20	T3
	BP12-24H	12	24		164	125	174	174	8.45	T12-I(M5)
	BP12-26	12	26		166	175	125	125	7.80	T12-I(M5)
	BP12-28	12	28		166	175	125	125	8.40	T3
	BP12-28H	12	28		164	125	174	174	9.10	T12-I(M5)
	BP12-30	12	30		195	130	164	167	9.30	T6-I(M6)
	BP12-30H	12	30		195	130	164	178	9.30	T5
	BP12-33	12	33		195	130	164	178	10.20	T5
	BP12-35	12	35		195	130	164	178	10.70	T5
BP (General Purpose) Medium Size	BP6-60	6		60	185	112	205	205	9.10	T2
	BP6-200	6		200	322	178	226	232	30.30	T11(M8)
	BP12-38	12		38	197	165	170	170	12.00	T6(M6)
	BP12-40	12		40	197	165	170	170	13.70	T6(M6)
	BP12-45	12		45	197	165	170	170	14.20	T6(M6)
	BP12-50	12		50	257	132	200	200	15.70	T6(M6)
	BP12-55	12		55	229	138	205	211	16.20	T6(M6)
	BP12-60	12		60	260	168	208	214	18.40	T6(M6)
	BP12-65	12		65	348	167	178	178	19.20	T6(M6)
	BP12-70	12		70	348	167	178	178	21.40	T6(M6)
	BP12-75	12		75	260	168	208	214	22.30	T6(M6)
	BP12-80	12		80	260	168	208	214	23.80	T6(M6)
	BP12-90	12		90	330	173	212	220	27.80	T11(M8)
	BP12-100E	12		100	330	173	212	220	28.20	T11(M8)
	BP12-100	12		100	330	173	212	220	28.00	T11(M8)
	BP12-120	12		120	408	117	225	225	35.00	T11(M8)
	BP12-140	12		140	345	172	274	280	41.20	T11(M8)
	BP12-150	12		150	483	170	238.5	239	43.20	T11(M8)
	BP12-180	12		180	532	207	214	220	51.00	T11(M8)
	BP12-200	12		200	522	240	218	224	59.80	T11(M8)
	BP12-250	12		250	522	268	220	226	70.60	T11(M8)
BP (General Purpose)	BP12-300	12		300	527	280	233	252	87.10	—
	BP2-65	2		65	170	72	205	214	4.50	T6(M6)
	BP2-100	2		100	170	72	205	214	5.80	T6(M6)
	BP2-120	2		120	170	98	205	214	7.20	T7(M6)
	BP2-150	2		150	170	98	205	214	8.40	T7(M6)
	BP2-200	2		200	170	110	328	348	13.50	T11(M8)
	BP2-250	2		250	170	110	328	350	14.30	T11(M8)
	BP2-300	2		300	170	150	328	348	18.80	T11(M8)
	BP2-350	2		350	170	150	328	348	19.20	T11(M8)
	BP2-400	2		400	210	175	330	350	25.50	T11(M8)
	BP2-450	2		450	210	175	330	350	26.00	T11(M8)

2V	BP2-500	2		500	240	175	330	350	30.00	T11(M8)
	BP2-600	2		600	300	175	330	350	37.00	T11(M8)
	BP2-800	2		800	410	175	330	350	50.40	T11(M8)
	BP2-1000	2		1000	475	175	328	350	60.00	T11(M8)
	BP2-1200	2		1200	475	175	328	350	63.80	T11(M8)
	BP2-1500	2		1500	403	354	339	349	97.80	T11(M8)
	BP2-2000	2		2000	490	350	339	349	121.00	T11(M8)
	BP2-3000	2		3000	709	350	337	347	183.00	T11(M8)